



airtec



2026



YOUR PARTNER FOR BEST SURFACES
MACHINES & TOOLS

©airtec_2026-1/sb

AIRTEC AG/SA/LTD - Industriestrasse 40 - CH-4455 Zunzgen
T+41 61 976 95 - info@airtec.ch - www.airtec.ch



**TOUGH
STUFF™**



airtec
TOUGH STUFF 



**FOR SURFACE
PREPARATION**



RT-2500 ROTO-TIGER

Available with electric or gasoline engine

- With depth adjustment for precise work
- With connection for vacuum cleaner
- With emergency stop switch

TECHNICAL DATA

Working width	250mm
Drive	400V / 4.0kW / 50Hz / 3 Phases
	Honda Gasoline engine: 7.2 HP
Weight with drum	Electric: 129kg Gasoline: 134kg
Dimensions LxWxH	1130x480x1180mm
Option	Wheel brake for particularly smooth running



ACCESSORIES



HMT-8.55/20 Tungsten carbide point cutters

For roughening, cutting and milling of concrete surfaces, grooving and cleaning of concrete & asphalt



TMO-7.15 Peeling cutter

For the removal of thermoplastic / cold plastic on asphalt & concrete




STR-4 Heat-treated steel cutters

Cleaning rust surfaces, remove rolling skin, ship deck cleaning



ET-4 Steel-Star-Cutters

Consists of many tips for a fine and regular surface. For derusting, cleaning, removing paint



Tungsten carbide points FOR CONCRETE

TYPE	ITEM NO.	HOLE	THICKNESS	DIAMETER
KR-8	AT-999-6681	12.5mm	6mm	36mm
HMT-6.44	AT-999-650	15 mm	6 mm	44 mm
HMT-8.200 (PIC)	AT-999-1225	30 mm	8 mm	80 mm
HMT-8.55/15	AT-999-980	15 mm	6 mm	55 mm
HMT-8.55/20	AT-999-940	20 mm	6 mm	55 mm
HMT-8.55/25	AT-999-930	25 mm	6 mm	55 mm
HMT-12.200	AT-999-1261	30 mm	8 mm	80 mm
HMT-10-85-15	AT-999-1991	32mm	15mm	87mm
HMT-10-100-15	AT-999-1000	40mm	15mm	105mm

STEEL- AND STAR-CUTTERS FOR CONCRETE AND STEEL

TYPE	ITEM NO.	HOLE	THICKNESS	DIAMETER
STR-4	AT-999-610	15mm	4mm	50mm
STR-5	AT-999-1301	25mm	5mm	78mm
ET-4	AT-999-615	15mm	4mm	50mm
ET-5	AT-999-1231	25mm	5mm	74mm
SR-2.5	AT-999-6661	8mm	2.5mm	31.5mm
SR-5	AT-999-6671	11.5mm	5mm	31.5mm

MILLING CUTTERS FOR SOFT GROUND, GLUE, MARKINGS, PAINT

TYPE	ITEM NO.	HOLE	THICKNESS	DIAMETER
TM0-5.22	AT-999-630+631	15mm	22mm	40mm
TM0-6.22	AT-999-1701	30mm	20mm	83mm
TM0-6.22-57	AT-999-635	20mm	22mm	57mm

FULL TUNGSTEN CARBIDE FOR PAINT, ADHESIVES, ETC.

TYPE	ITEM NO.	HOLE	THICKNESS	DIAMETER
TSR-3.5	AT-999-6851	11.5mm	3.5mm	30mm
TSR-5.5	AT-999-6861	11.5mm	5.5mm	30mm
TSR-7.5	AT-999-672	11.5mm	7.5mm	30mm
WCT-3.5	AT-999-6711	12mm	3.5mm	26mm
WCT-6.0	AT-999-6871	12mm	6mm	26mm
TM0-7.11	AT-999-660	11mm	11mm	33mm
TM0-7.15	AT-999-990	15mm	15mm	44mm
TM0-12.20	AT-999-1801	22mm	20mm	55mm